

Studies on Schismatoglottideae (Araceae) of Borneo XXXXVIII – *Galantharum*, a new genus for the *Hottarum* Clade

Peter C. Boyce*

Honorary Research Fellow

Institute Of Biodiversity and Environmental Conservation (IBEC)

Universiti Malaysia Sarawak

94300 Kota Samarahan

Sarawak, Malaysia

phymatarum@gmail.com

*corresponding author

Wong Sin Yeng

Department of Plant Science & Environmental Ecology

Faculty of Resource Science & Technology

Universiti Malaysia Sarawak

94300 Kota Samarahan

Sarawak, Malaysia

sywong@frst.unimas.my

ABSTRACT

Galantharum is described as a new genus of Tribe Schismatoglottideae, with a single novel species, *Galantharum kishii*. Preliminary molecular analyses place *Galantharum* basal of a clade composed of *Fenestratarum*, *Bakoa*, *Hottarum*, two clades containing species currently assigned to *Aridarum*, and a clade of species presently included in *Piptospatha*.

KEY WORDS

Rheophytic, molecular phylogenetic analyses

INTRODUCTION

Field-based research of Schismatoglottideae on Borneo continues to reveal still more remarkable undescribed species, quite some number of which prove difficult to place into presently recognised genera based solely on their morphological